



Northwest Arkansas  
1-800-352-0028  
479-443-9292

Universal Fastener Outsourcing, LLC

NailScrews.com


# Ballistic NailScrews®

US Patent #9,291,183 B2, Other Patents Pending / Cdn. Pat. [2,648,647]

## New Duck Butt® Hybrid Gas Fastening System Watertight & Airtight for Metal Roofing & Siding




### 15° WIRE COIL




JLC EDITOR'S PICK AS  
"One of the Cleverest Products of the Year"

### 15° PLASTIC SHEET COIL



### 20°- 22° and 30°- 34° PLASTIC STRIP




Patented ~ Tested ~ Approved™

Hybrid® Fasteners That Install With A Pneumatic Nailer

# 15 DEGREE WIRE COIL

## FOR MOST FRAMING PNEUMATIC NAILERS

Each Coil has 200 - 225 Ballistic NailScrews®



### FLAT HEAD - YELLOW ZINC COATED - (3,600/BOX - 56 BOXES/PALLET)

Applications: Subfloor, Roof Decking, Pallets, Crating, Manufactured Housing, and Many More!

3" and longer have  
48 Boxes/Pallet

NailScrew Part#	Short Part#	Length	Dia.
WCNS134113YZSP	WCYZ134	1¾"	.113"
WCNS200113YZSP	WCYZ200	2"	.113"
WCNS214113YZ PH SQ SP★VT	WCYZ214	2¼"	.113"
WCNS212113YZ PH SQ SP★	WCYZ212	2½"	.113"
WCNS300113YZSP★VT	WCYZ300113	3"	.113"
WCNS300120YZSP VT	WCYZ300	3"	.120"
WCNS312131YZSP VT	WCYZ312	3½"	.131"



### COMPOSITE HEAD - PT2000® FULLY VINYL COATED - (800/BOX - 96 BOXES/PALLET)

Applications: PTL Decking, Composite Decking (AERT: MoistureShield® & ChoiceDek®, AZEK® Decking, & many other Composite materials). Not recommended for Capstock.

NailScrew Part#	Short Part#	Length	Dia.	Head
PTWCNS214CSQ VT	WCPT214S	2¼"	.120"	#2 SQ



### FLAT HEAD - PT2000® (Dark Gray) - (800/BOX - 96 BOXES/PALLET)

Applications: All Types of Wood Decking including ACQ and all other Treated Lumber.

NailScrew Part#	Short Part#	Length	Dia.
PTWCNS134113SQ	WCPT134	1¾"	.113"
PTWCNS200113SP	WCPT200	2"	.113"
PTWCNS212113SP★	WCPT212	2½"	.113"
PTWCNS300113SP★	WCPT300	3"	.113"



Approved for  
Subfloor  
& Shear Wall



### TRIM HEAD - PT2000® (Dark Gray) - (800/BOX - 96 BOXES/PALLET)

Applications: Composite Decking (TimberTech®, Rhino Deck®, Ever Grain®, Portico™, UFP® Decking, AERT: Moisture Shield® & ChoiceDek®, AZEK® Decking & many other Composite materials), All Types of Wood Decking, (including ACQ and all other Treated Lumber), and Soft Exotic Lumbers. Not recommended for Capstock.

NailScrew Part#	Short Part#	Length	Dia.	Head
PTWCNS214113TH	WCPT214T	2¼"	.113"	T-15



### TRAILER MASTER™ - PT2000® (Dark Gray) - (3,600/BOX - 56 BOXES/PALLET)

Applications: Special designed for pressure treated lumber to 12 - 16 gauge steel tubing.

NailScrew Part#	Length	Dia.	Head
PTWC200113TTM	2"	.113"	T-15



### CRATING MASTER™ - YELLOW ZINC - (3,600/BOX - 56 BOXES/PALLET)

Applications: Crates, pallets, and other types of wooden containers. Flexible screw with a minimum 45° bending angle.

NailScrew Part#	Length	Dia.	Head
WC212113YZSPCM	2¼"	.113"	T-15



SP  
(SQ & PH)

### TRIM HEAD - 316 STAINLESS STEEL - (800/BOX - 96 BOXES/PALLET)

Applications: Dock & Deck Building within ten (10) miles of Salt or Brackish Water, Wood Decking, and Installation of Softer Composites During Warm Weather. Stainless Steel is soft and should NOT be used for framing.

NailScrew Part#	Short Part#	Length	Dia.	Head
SSWCNS300120TH	WCSS300T	3"	.120"	T-15



### HIGH LOAD - FLAT HEAD - YELLOW ZINC (3,600/BOX - 56 BOXES/PALLET)

Applications: Manufactured Housing, Crating, Pallets, Subfloor, Factory Assembly Lines for Wood Products, etc.

NailScrew Part#	Short Part#	Length	Dia.	Head
WCNS214113YZSQH★VT	WCYZ214H9	2¼"	.113"	#2 SQ
WCNS212113YZSQH★	WCYZ212H9	2½"	.113"	#2 SQ



Approved for  
Subfloor  
& Shear Wall



2,000 BNS/COIL AVAILABLE BY SPECIAL ORDER

# 15 & 0 DEGREE PLASTIC SHEET COIL

FOR SOME SIDING PNEUMATIC NAILERS

Each Coil has 200 Ballistic NailScrews®



## FLAT HEAD - YELLOW ZINC COATED - 15° COIL - (3,600/BOX - 56 BOXES/PALLET)

Applications: For Fastening Many Materials Like OSB, Plywood, DragonBoard® to Light Gauge Metal (12-16 Gauge) or Wood, Crating, Manufactured Housing, and Many More!

NailScrew Part#	Short Part#	Length	Dia.
HSNS114113YZSP	PCYZ114	1 1/4"	.113"
HSNS112113YZSP	PCYZ112	1 1/2"	.113"



## TRIM HEAD - PPG1500™ - 15° COIL - (1,600/BOX - 80 BOXES/PALLET)

Applications: Composite Fencing, DensGlass® Gold and other Gypsum Sheathing, Wood Fencing, Fiber-Cement Siding, DragonBoard®, etc.

NailScrew Part#	Length	Dia.	Head	Color
HSNS112113THC	1 1/2"	.113"	T-15	Cedar
HSNS112113THT	1 1/2"	.113"	T-15	Tan/EarthTone



## FLAT HEAD - PPG1500™ - 15° COIL - (1,600/BOX - 80 BOXES/PALLET)

Applications: Composite Fencing, DensGlass® Gold and other Gypsum Sheathing, Wood Fencing, Fiber-Cement Siding, and DragonBoard®.

NailScrew Part#	Length	Dia.	Head	Color
HSNS112113PHG	1 1/2"	.113"	#2 PH	Gray
HSNS112113T15C	1 1/2"	.113"	T-15	Cedar



## MINI COIL - YELLOW ZINC COATED - (2,700/BOX - 120 BOXES/PALLET)

Applications: Doorsills, Windowsills, Door Seals, Cabinetry, Shelf Backing, Furniture, Small Crafts, and More!

NailScrew Part#	Length	Dia.	Head
MC0D3472T10YZ (0°)	3/4"	.072"	T-10
MC0D10072T10YZ (0°)	1"	.072"	T-10
MC15D3472T10YZ (15°)	3/4"	.072"	T-10

150 BNS per Coil



## DUCK BUTT® - PPG1500™ - 0° COIL - (2,400/BOX Fuel Cells Included - 36 BOXES/PALLET)

Applications: Metal roofing and siding. Forms a watertight, airtight seal. Only for use in the Duck Butt® Gas Driver (DBCN50).

NailScrew Part#	Length	Dia.	Head
DB114113PPG	1 1/4"	.113"	#1SQ
DB112113PPG	1 1/2"	.113"	#1SQ
DB134113PPG	1 3/4"	.113"	#1SQ
DB200113PPG	2"	.113"	#1SQ



120 Fasteners per Coil

Available Colors:



.370 Dia.

Polyurethane Sealant Under the Head

# 30-34 DEGREE PLASTIC STRIP

FOR MOST PAPER STRIP PNEUMATIC & GAS NAILERS

Each Strip has 25 Ballistic NailScrews®



## FLAT HEAD - YELLOW ZINC COATED - (1,000/BOX - 192 BOXES/PALLET)

Applications: For Fastening Many Materials like OSB, Plywood, Subfloor, Crating, Pallets, Manufactured Housing, and More!

NailScrew Part#	Short Part#	Length	Dia.
PSNS214113YZSP ★VT	PS34YZ214	2 1/4"	.113"
PSNS300113YZSP ★VT	PS34YZ300	3"	.113"



Virginia Tech Testing for NWPCA Classified as Multiple Use



Approved for Subfloor & Shear Wall



SP (SQ & PH)



National Wooden Pallet & Container Association (NWPCA)

## FLAT HEAD - PPG1500™ (Dark Gray) - (1,000/BOX - 192 BOXES/PALLET)

Applications: All Types of Wood Decking including ACQ and all other Treated Lumber.

NailScrew Part#	Short Part#	Length	Dia.
PTPSNS212113SP★	PS34PT212	2 1/2"	.113"
PTPSNS300113SP★	PS34PT300	3"	.113"



Approved for Subfloor & Shear Wall



SP (SQ & PH)



# 20-22 DEGREE PLASTIC STRIP

FOR MOST FULL HEAD PNEUMATIC NAILERS

Each Strip has 25 Ballistic NailScrews®



## FLAT HEAD - YELLOW ZINC COATED - (100 BOXES/PALLET)

SP items have 1,000/Box - 192/Pallet

Applications: Subfloor, Roof Decking, Pallets, Crating, Manufactured Housing, and Many More!

NailScrew Part#	Short Part#	Length	Dia.	#/Box
HDNS134120YZSQ	PSYZ134	1¾"	.120"	2,000
HDNS200113YZSP	PSYZ200	2"	.113"	1,000
HDNS214113YZSP★VT	PSYZ214	2¼"	.113"	1,000
HDNS212113YZSP★	PSYZ212	2½"	.113"	1,000
HDNS212120YZSQ		2½"	.120"	1,500
HDNS300113YZPH★	PSYZ300	3"	.113"	1,000
HDNS314120YZPH		3¼"	.120"	1,000



National Wooden Pallet & Container Association (NWPCA)

## COMPOSITE HEAD - PPG1500™ - (1,000/BOX - 100 BOXES/PALLET)

Applications: Composite Decking (AERT: MoistureShield® & ChoiceDek®, AZEK® Decking, & many other Composite materials) and all Types of Wood Decking. Not recommended for Capstock.

NailScrew Part#	Short Part#	Length	Dia.	Color
PTHDNS214CSQB★VT	PSPPG214B	2¼"	.120"	Brown
PTHDNS214CSQC★VT	PSPPG214C	2¼"	.120"	Cedar
PTHDNS214CSQG★VT	PSPPG214G	2¼"	.120"	Gray
PTHDNS214CSQT★VT	PSPPG214T	2¼"	.120"	Tan



## FLAT HEAD - PPG1500™ (Dark Gray) - (1,000/BOX - 100 BOXES/PALLET)

SP items have 1,000/Box - 192/Pallet

Applications: All Types of Wood Decking (including ACQ) and all other Treated Lumber.

NailScrew Part#	Short Part#	Length	Dia.
PTHDNS134113PH	PSPPG134	1¾"	.113"
PTHDNS200113 PH SP	PSPPG200	2"	.113"
PTHDNS212113 PH SP★	PSPPG212	2½"	.113"
PTHDNS300113SP★	PSPPG300	3"	.113"



## TRIM HEAD - PT2000® (PPG1500™) - (1,000/BOX - 100 BOXES/PALLET)

Applications: Composite Decking (AERT: MoistureShield® & ChoiceDek®, TimberTech®, Rhino Deck®, Ever Grain®, Portico™, UFP® Decking, AZEK® Decking, & many other Composite materials.), All types of Wood Decking including ACQ and all other Treated Lumber, Hard and Soft Exotic Lumbers. Not recommended for Capstock.

NailScrew Part#	Short Part#	Length	Dia.	Color
PTHDNS214113TH	PSPT214T	2¼"	.113"	PT2000® (Gray)
PTHDNS214113THB	PSPPG214TB	2¼"	.113"	Brown
PTHDNS214113THC	PSPPG214TC	2¼"	.113"	Cedar
PTHDNS214113THG	PSPPG214TG	2¼"	.113"	Gray
PTHDNS214113THT	PSPPG214TT	2¼"	.113"	Tan
PTHDNS300113TH	PSPT300T	3"	.113"	PPG1500™ (Gray)



## TRIM HEAD - 305 STAINLESS STEEL - (1,000/BOX - 100 BOXES/PALLET)

Applications: Dock & Deck Building within ten (10) miles of Salt or Brackish Water, Wood Decking, and Installation of Softer Composites during warm weather. Stainless Steel is soft and should NOT be used for Framing.

NailScrew Part#	Short Part#	Length	Dia.	Head
SSHDNS300120TH	PSSS300TH	3"	.120"	T-15



## FLAT HEAD - 305 STAINLESS STEEL - (1,000/BOX - 100 BOXES/PALLET)

Applications: Many exterior applications within ten (10) miles of Salt or Brackish Water. Stainless Steel is soft and should NOT be used for Framing.

NailScrew Part#	Short Part#	Length	Dia.	Head
SSHDNS300120SQ	PSSS300	3"	.120"	#2 SQ

